

# Pietra Naturale

NATURAL STONE PROGRAM



mosaic



Products. Design. Solutions.  
[www.mosaictileco.com](http://www.mosaictileco.com)

# Natural Stone Guidelines

Natural Stone tiles should be installed by an experienced and qualified tile contractor or stone mason. Since these are natural products, it is essential that the client and the installer use appropriate setting materials that are specifically designed for use with stone. Mosaic is happy to assist in the choice of setting materials, however, we cannot be held responsible for their use for any particular purpose. We recommend TEC and Custom Building Products installation materials and can provide you with more specific instructions based on your particular application. Since each stone is unique with respect to color, veining, structure, etc., any samples that are submitted are intended to merely suggest the final outcome. Due to the inherent characteristics of the material, variations are guaranteed and part of the natural beauty of each stone.

## Blending

Often the range and variation of patterns within one color and finish of stone is random – or it could be consistent. Since stone tiles are cut from large blocks, the patterning may be consistent within one carton but vary greatly from the next. Before starting an installation, it is imperative that all tiles be blended and sorted so the complete range can be seen. Mixing the tiles from all cartons will ensure a more uniform and well blended overall look.

## Dry Layout

Most natural stones are one of the following:

- Directional – Grain running in one direction across the tile, like Onyx
- Figured – Veins and markings running in swirls or a number of directions, like Marble
- Multi-Colored – Sometimes subtle and sometimes dramatic color variations, like Slate

Directional tiles may be laid end-to-end, in a parquet pattern or random. Figured and multi-colored stones should be arranged like an abstract painting, with the owner, designer and installer rearranging the individual tiles in a sample area until the desired effect is obtained. Doing this dry run will eliminate any room for error.

## Installation Method

Consult the TEC or Custom Building Products setting materials guide for appropriate information for your specific stone and job conditions. Always use a premium white thinset for light colored stones, as the mortar may bleed through and stain the surface of the tile. If installing over a wood subfloor, ensure that the area is properly prepared to accept stone. Be sure to use a new glass or porcelain cutting blade to ensure clean, smooth cuts and to avoid potential splintering.

## Sealing, Care & Maintenance

All natural stone installations should be sealed both before and after grouting. Be sure that the surface is completely cleaned of any residual mortar prior to sealing. Grout the installation after the penetrating sealer has thoroughly dried. Choose a grout appropriate to your specific installation. Follow the manufacturer’s instructions carefully.

A regular maintenance routine should be established for sealing and cleaning the installation. Neutral pH cleaners can be used for day-to-day maintenance, with more powerful cleaners or poultices for specific stains. The stone should be resealed at 1 to 3 years in commercial applications and after 2 to 6 years for residential.

See the Mosaic Natural Stone Care & Maintenance guide for more details.

# Table of Contents

Decorative Mosaics

Waterjet Mosaics . . . . .2

Marble

Arabescato . . . . .4

Athens Gray . . . . .6

Cavalier . . . . .8

Crema Marfil. . . . .10

Dark Emperador. . . . .12

Dark Gray. . . . .14

Driftwood . . . . .16

Gray Cloud. . . . .18

Highland Gris . . . . .20

Italian Carrara. . . . .22

Mariner. . . . .26

Ming Green . . . . .28

Mystic . . . . .30

Thassos / Calacatta / Sahara / Mountain Blue . . .32

Wooden White . . . . .34

Zebra / Marmala. . . . .36

Onyx

Honey . . . . .38

Persian Green . . . . .39

Pebbles. . . . .40

Slate / Quartzite. . . . .42

Travertine

Durango. . . . .44



LOOK FOR THIS LOGO!

Products noted with this logo are stocked in our Central Service Center.

(Orders placed before 12pm are available within 1 business day for MD, VA, and Raleigh, NC locations. Greensboro, NC ships within 48 hours.)





Bellagio \*  
Carrara White, Thassos  
(10.35x14.25 Sheet)



Bellagio \*  
Carrara White, Antique Mirror  
(10.35x14.25 Sheet)



Batik \*  
Carrara White, Antique Mirror  
(8.19x11 Sheet)

#### product notes & availability

Marble is a metamorphic stone (a rock altered by pressure and heat).

MOHS Rating 3 – 5.5

Porosity .4% to 2%

Due to the addition of a resin mesh for added stability, TEC's Super Flex™ or 100% Solids Epoxy Mortar is required for proper installation of all mosaics.


Install Waterjet Mosaics with a light colored grout to best compliment it.

Very High Shade Variation: Natural stone products have an extreme variation in color, shade and texture. To ensure an even variation of color and surface texture, blend stones from multiple cartons. Review all material prior to installation.



Product is stocked in our  
Central Service Center

(\*) Noted items please allow a 1-2 week lead time pending availability



Mini Arabesque  
Carrara White Polished  
(10.24x10.63 Sheet)



Trellis  
Thassos, Carrara White  
(8.7x8.89 Sheet)



Marrakech  
Thassos, Carrara White  
(8.74x9.84 Sheet)



Ribbon and Dot \*  
Thassos, Calacatta White  
(12.5x13.15 Sheet)



Piazza  
Zebra White, Thassos  
(11.89x11.89 Sheet)



Synergy Weave  
Arabescato Polished  
(12x12.75 Sheet)



Shell  
Arabescato Polished  
(11x11.5 Sheet)



Star White, Shell \*  
(14x14.75 Sheet)



Flower \*  
Thassos, Carrara White  
(14x15 Sheet)




Lux Lavish \*  
Thassos, Carrara Polished  
(12.32x11.1 Sheet)



Lux Posh \*  
Calacatta Polished, Gold  
(11.41x14.37 Sheet)



Lux Opulence \*  
Calacatta Polished, Gold  
(11.02x10.24 Sheet)



Thassos, Tunisian Gray \*  
(11.75x12.15 Sheet)



Hex  
Thassos, Carrara, Black Water  
(14x16 Sheet)




Lux Bliss \*  
Calacatta Polished, Gold  
(12.2x12 Sheet)





no field tile available

4x12 Bullnose<sup>†</sup>  
Brushed, Polished20" Corner Seat<sup>†</sup>

White Carrara Thresholds  
 2x36x3/4 - 2x36x3/8  
 3x36x3/4<sup>†</sup> - 4x24x5/8<sup>†</sup>  
 4x28x5/8 - 4x30x5/8  
 4x36x5/8 - 4x50x5/8  
 4x72x5/8 - 6x36x5/8  
 6x72x5/8

2x2 Polished<sup>†</sup>

2x4 Brick Polished



2x4 Brick Honed \*

## product notes &amp; availability

Marble is a metamorphic stone  
 (a rock altered by pressure and heat).

MOHS Rating      3 – 5.5  
 Porosity            .4% to 2%

Mosaics: Due to the addition of  
 a resin mesh for added stability,  
 TEC's Super Flex™ or 100% Solids  
 Epoxy Mortar is required for proper  
 installation of all mosaics. Sold on  
 12x12 Sheets except where noted.

Very High Shade Variation: Natural  
 stone has extreme variation in color,  
 shade, veining and texture. To ensure  
 an even variation, blend stones from  
 multiple cartons prior to installation.



Product is stocked in our  
 Central Service Center

(\*) Noted items please allow a 1-2  
 week lead time pending availability

(†) Noted items are discontinued and  
 available only while stock inventory  
 lasts




1" Hexagon Polished



1" Hexagon Honed




1x2 Brick Honed



Polished / Honed Bubbles


Appenine Linear  
with Silver Foil Glass

Random Linear Polished \*

Waterjet Polished Shell  
(11x11.5 Sheet)Arabescato / Zebra Flat  
Pebbles (11.75" Sheet)Polished and Honed  
BasketweavePolished Basketweave  
with Athens Gray DotPolished Basketweave  
with Black DotPolished Bone Basket with  
Black Dot \*1x3 Herringbone  
BoardwalkChevron Polished with  
Carrara (11.15x11.75 Sht)Waterjet Polished Synergy  
Weave (12x12.75 Sheet)3" Hex Polished \*  
(13.15x11 Sheet)Polished Quadrafoil  
with Gray LadyPolished Seaweed  
with Athens Gray<sup>†</sup>Melange Wooden White and  
Arabescato BrickAthens Gray Honed Mod  
with Arabescato Polished<sup>†</sup>3" Gris Garden Lantern \*  
(Athens Gray, Wooden  
White, Arabes. 12x13 Sht)Rubik Square Pattern  
Mountain Blue and  
Thassos (12x12.75 Sht)

Note: It is recommended on Waterjet  
 Mosaics to install with a light colored  
 grout to best compliment the look.






4x12 Bullnose<sup>†</sup>



10" Shelf



Thresholds  
4x36x3/4 - 4x50x3/4<sup>†</sup>  
6x72x3/4



Honed Vein Cut<sup>†</sup>



2x2 Honed<sup>†</sup>



Multi Square Honed \*



Arabescato Polished  
Seaweed w/ Athens Gray<sup>†</sup>



Arabescato Polished Basket  
with Athens Gray Dot



Athens Gray Honed Mod  
with Arabescato Polished<sup>†</sup>



11x12 Linear<sup>†</sup>



5/8" Aspen Mix Hon/Pol<sup>†</sup>  
(Athens Gray, Dark Emp.,  
Wooden White)



Melange Athens Gray and  
Gray Cloud Brick with  
Mother of Pearl



2" Trinity Hex\*



Wooden White / Athens  
Gray / Pure Black Arrow  
Weave Honed Marble  
(12x12.75 Sheet)



3" Soft Harmony Feathers\*  
(Athens Gray, Wooden  
White, Carrara on  
9.65x9.69 Sheet)



3" Gris Garden Lantern\*  
(Athens Gray, Wooden  
White, Arabescato on  
12x13 Sheet)

Mosaics sold on 12x12  
Sheets except where noted

field tile available




3x6 Honed Vein Cut




6x24 Honed Vein Cut



3x12 Honed Vein Cut



12x24 Honed Vein Cut



12x12 Honed Vein Cut<sup>†</sup>



3D 6x20 Ledger<sup>†</sup>

product notes & availability

Marble is a metamorphic stone  
(a rock altered by pressure and heat).

MOHS Rating 3 – 5.5  
Porosity .4% to 2%

We recommend installing Athens  
Gray Marble with Super Flex™  
or epoxy mortar since these are  
moisture sensitive stones.

Very High Shade Variation: Natural  
stone products have an extreme  
variation in color, shade, veining and  
texture. To ensure an even variation,  
blend stones from multiple cartons  
prior to installation.



Product is stocked in our  
Central Service Center

(\*) Noted items please allow a 1-2  
week lead time pending availability

(†) Noted items are discontinued and  
available only while stock inventory  
lasts



field tile available



3x6 Leathered or Polished



3x12 Leathered or Polished



12x24 Leathered or Polished

product notes & availability

Marble is a metamorphic stone (a rock altered by pressure and heat).

MOHS Rating 3 – 5.5

Porosity .4% to 2%

Mosaics: Due to the addition of a resin mesh for added stability, TEC's Super Flex™ or 100% Solids Epoxy Mortar is required for proper installation of all mosaics.

Very High Shade Variation: Natural stone products have an extreme variation in color, shade, veining and texture. To ensure an even variation, blend stones from multiple cartons prior to installation.



Product is stocked in our Central Service Center



3x6 Leathered



3x12 Leathered



3x6 Polished



3x12 Polished



12x24 Leathered



12x24 Polished



2" Hexagon  
Leathered or Polished

1/2x12 Somerset Pencil  
Leathered or Polished

1x12 Pencil  
Leathered or Polished



*leathered*



*polished*

Mosaics sold on 12x12 Sheets





no field tile available

#### product notes & availability

Marble is a metamorphic stone (a rock altered by pressure and heat).

MOHS Rating 3 – 5.5

Porosity .4% to 2%

Mosaics: Due to the addition of a resin mesh for added stability, TEC's Super Flex™ or 100% Solids Epoxy Mortar is required for proper installation of all mosaics.

Very High Shade Variation: Natural stone products have an extreme variation in color, shade, veining and texture. To ensure an even variation, blend stones from multiple cartons prior to installation.




Product is stocked in our Central Service Center

(\*) Noted items please allow a 1-2 week lead time pending availability

(†) Noted items are discontinued and available only while stock inventory lasts

4x36x3/4 Threshold †



10" Shelf Polished †



5/8" Polished †



1x2 Honed Brick†



Polished Bone Basketweave with Dark Emperor Dot \*



Resort Collection Zen Blend



Melange Brick with Mother of Pearl



Thassos Polished Mod with Crema Marfil†



3x12 Border Persian Green with Wooden Yellow and Crema Marfil†




3x3 Corner†

Mosaics sold on 12x12 Sheets



field tile available



12x12 Polished<sup>†</sup>

## product notes & availability

Marble is a metamorphic stone (a rock altered by pressure and heat).

MOHS Rating 3 – 5.5  
Porosity .4% to 2%

Mosaics: Due to the addition of a resin mesh for added stability, TEC's Super Flex™ or 100% Solids Epoxy Mortar is required for proper installation of all mosaics.

Very High Shade Variation: Natural stone products have an extreme variation in color, shade, veining and texture. To ensure an even variation, blend stones from multiple cartons prior to installation.




Product is stocked in our Central Service Center

(\*) Noted items please allow a 1-2 week lead time pending availability

(†) Noted items are discontinued and available only while stock inventory lasts

1x12 Pencil Molding  
Polished<sup>†</sup>



5x12 Base Molding  
Polished<sup>†</sup>



Thresholds<sup>†</sup>  
4x36x3/4 - 4x50x3/4  
6x72x3/4



10" Shelf Polished<sup>†</sup>  
20" Corner Seat<sup>†</sup>



Polished<sup>†</sup>



Crema Marfil with Dark Emperador Dot  
Polished Bone Basketweave \*



5/8" Aspen Mix Honed / Polished<sup>†</sup>  
(Athens Gray, Dark Emperador,  
Wooden White)

Mosaics sold on 12x12 Sheets





field tile available



3x6 Polished \*



6x12 Polished \*

#### product notes & availability

Marble is a metamorphic stone (a rock altered by pressure and heat).

MOHS Rating 3 – 5.5

Porosity .4% to 2%

Mosaics: Due to the addition of a resin mesh for added stability, TEC's Super Flex™ or 100% Solids Epoxy Mortar is required for proper installation of all mosaics.

Very High Shade Variation: Natural stone products have an extreme variation in color, shade, veining and texture. To ensure an even variation, blend stones from multiple cartons prior to installation.

(\*) Noted items please allow a 1-2 week lead time pending availability



3x6 Polished



6x12 Polished



Droplet Honed Mosaic  
(10.67x12 Sheet)



3/4x12 Polished Pencil



3x12 Polished



12x24 Polished



3" Hexagon Polished




Insignia Chevron Polished

1/2x12 Somerset Pencil Polished  
1x12 Pencil Polished

field tile available



3x12 Polished



12x24 Polished

#### product notes & availability

Marble is a metamorphic stone (a rock altered by pressure and heat).

MOHS Rating 3 – 5.5  
Porosity .4% to 2%

Mosaics: Due to the addition of a resin mesh for added stability, TEC's Super Flex™ or 100% Solids Epoxy Mortar is required for proper installation of all mosaics.

Very High Shade Variation: Natural stone products have an extreme variation in color, shade, veining and texture. To ensure an even variation, blend stones from multiple cartons prior to installation.



Product is stocked in our Central Service Center



Mosaics sold on 12x12 Sheets






field tile available



3x6 Polished<sup>†</sup>



12x12 Brushed<sup>†</sup> or Polished<sup>†</sup>

#### product notes & availability

Marble is a metamorphic stone (a rock altered by pressure and heat).

MOHS Rating 3 – 5.5

Porosity .4% to 2%

Mosaics: Due to the addition of a resin mesh for added stability, TEC's Super Flex™ or 100% Solids Epoxy Mortar is required for proper installation of all mosaics. Mosaics sold on 12x12 Sheets.

Very High Shade Variation: Natural stone products have an extreme variation in color, shade, veining and texture. To ensure an even variation, blend stones from multiple cartons prior to installation.




Product is stocked in our Central Service Center

(†) Noted items are discontinued and available only while stock inventory lasts



2x12 Chair Rail  
Polished<sup>†</sup>



Polished<sup>†</sup>




Brushed<sup>†</sup>




5/8" Polished<sup>†</sup>



2x2 Polished<sup>†</sup>



Polished Basketweave  
with Snow White Dot




1x2 Honed Brick



Melange Athens Gray and  
Gray Cloud Brick with  
Mother of Pearl



Melange Brick with  
Mother of Pearl and  
Stainless



1" Polished Hex



HIGHLAND GRIS

field tile available



3x6 Honed or Polished



3x12 Honed or Polished



12x24 Honed or Polished


product notes & availability

Marble is a metamorphic stone (a rock altered by pressure and heat).

MOHS Rating      3 – 5.5  
Porosity          .4% to 2%

Mosaics: Due to the addition of a resin mesh for added stability, TEC's Super Flex™ or 100% Solids Epoxy Mortar is required for proper installation of all mosaics.

Very High Shade Variation: Natural stone products have an extreme variation in color, shade, veining and texture. To ensure an even variation, blend stones from multiple cartons prior to installation.

 Product is stocked in our  
Central Service Center

Note: All dolomitic stones tend to appear darker in color when the surface is polished whereas honed finishes appear lighter due of the nature of the duller surface. They also appear darker when they are wet. Field tile darkens significantly when installed.

Due to the inherent characteristics of this natural stone, the material will absorb moisture during the installation process and will look darker in appearance. As conditions will vary, it will take time for the product to fully cure and dry out.



3x6 Honed



3x12 Honed



3x6 Polished



3x12 Polished



12x24 Honed



12x24 Polished



10" Shelf Polished  
20" Seat Polished



1/2x12 Somerset Pencil  
Honed or Polished

1x12 Pencil Polished



2x12 Chair Rail Polished



Insignia Chevron  
Honed or Polished



3" Hexagon  
Honed or Polished



2x2 Mosaic  
Honed or Polished



*honed*



*polished*

Mosaics sold on 12x12 Sheets





3x6 Polished<sup>†</sup>




12x12 Polished<sup>†</sup>

Also Available: 6x12 Polished<sup>†</sup> and 6x24 Polished<sup>†</sup>



12x24 Polished<sup>†</sup>

field tile available



product notes & availability

Marble is a metamorphic stone (a rock altered by pressure and heat).

MOHS Rating 3 – 5.5  
Porosity .4% to 2%

Mosaics: Due to the addition of a resin mesh for added stability, TEC's Super Flex™ or 100% Solids Epoxy Mortar is required for proper installation of all mosaics.

Very High Shade Variation: Natural stone products have an extreme variation in color, shade, veining and texture. To ensure an even variation, blend stones from multiple cartons prior to installation.



Product is stocked in our Central Service Center

(\*) Noted items please allow a 1-2 week lead time pending availability

(†) Noted items are discontinued and available only while stock inventory lasts



3x6 Honed<sup>†</sup>



12x24 Honed<sup>†</sup>




12x12 Honed<sup>†</sup>



1/2x12 Pencil Honed

1/2x12 Pencil Polished



10" Corner Shelf  
20" Corner Seat




1x1 Polished \*  
(12x12 Sheet)




1" Honeycomb  
(12.25x11.25 Sheet)



2" Hex Polished  
(12x12 Sheet)



Waterjet Mini Arabesque  
(10.24x10.63 Sheet)



Carrara Octagon with  
Mountain Blue Polished  
(10.63x11.61 Sheet)



Arabescato / Carrara  
Chevron Polished  
(11.15x11.75 Sheet)



2x8 Elongated Polished  
Hexagon \*  
(12.75x15 Sheet)



1x2 Honed Herringbone \*  
(11.4x11.6 Sheet)



1x3 Polished Herringbone  
(13.5x14 Sheet)



Beveled Honed Diamond \*  
(11.4x11.8 Sheet)



Waterjet Trellis  
Thassos, Carrara White  
(8.7x8.89 Sheet)



4" Anthracite Geohex \*  
Carrara, Super White  
Glass (10.79x11.93 Sheet)



3" Soft Harmony Feather \*  
Athens Gray, Wooden  
White, Carrara  
(9.65x9.69 Sheet)



Waterjet Batik \*  
Carrara White, Antique  
Mirror (8.19x11 Sheet)



Waterjet Marrakech  
Thassos, Carrara White  
(8.74x9.84 Sheet)



Waterjet Lux Lavish \*  
Thassos, Carrara Polished  
(12.32x11.1 Sheet)



Waterjet Flower \*  
Thassos, Carrara White  
(14x15 Sheet)



Waterjet Bellagio \*  
Carrara White, Thassos  
(10.35x14.25 Sheet)



Waterjet Bellagio \*  
Carrara White, Antique  
Mirror (10.35x14.25 Sht)



Waterjet Hex  
Thassos, Carrara, Black  
Water (14x16 Sheet)



Carrara Marble has been used since the days of Ancient Rome. Known for its timeless beauty, Carrara Marble has been used in some of the world's most notable structures. The Pantheon and Trajan's Column are entirely constructed of Carrara Marble. Micheangelo's David, built in 1504 during the Renaissance, is a true testament to the stone's inherent beauty.

Authentic Carrara Marble can only be quarried from Carrara, Italy. Other white and gray stones may look similar to Carrara, but true Italian Carrara Marble is rare. Within the quarries of Carrara, there can be slabs and tiles that show wide gray veining or narrow veining, and some may show no veining at all. This is the characteristic beauty and uniqueness of natural stone.

It is critical that an experienced installer handles the application of Carrara Marble. The installer must review all the material and blend tiles from multiple boxes within all the different crates on hand so that the veining and coloring are put together to create a harmonious overall effect of the entire color range.



Please Note: It is recommended on Waterjet Mosaics to install with a light colored grout to best compliment the look.





field tile available



3x6 Leathered or Polished



3x12 Leathered or Polished



12x24 Leathered or Polished

#### product notes & availability

Marble is a metamorphic stone (a rock altered by pressure and heat).

MOHS Rating 3 – 5.5

Porosity .4% to 2%

Mosaics: Due to the addition of a resin mesh for added stability, TEC's Super Flex™ or 100% Solids Epoxy Mortar is required for proper installation of all mosaics.

Very High Shade Variation: Natural stone products have an extreme variation in color, shade, veining and texture. To ensure an even variation, blend stones from multiple cartons prior to installation.



Product is stocked in our Central Service Center



3x6 Leathered



3x12 Leathered



3x6 Polished



3x12 Polished



12x24 Leathered



12x24 Polished



2" Hexagon  
Leathered or Polished

1/2x12 Somerset Pencil  
Leathered or Polished

1x12 Pencil  
Leathered or Polished



10" Shelf Polished



4x36x3/4 Threshold  
6x72x3/4 Threshold



*leathered*



*polished*

Mosaics sold on 12x12 Sheets



no field tile available

#### product notes & availability

Marble is a metamorphic stone (a rock altered by pressure and heat).

MOHS Rating 3 – 5.5

Porosity .4% to 2%

Mosaics: Due to the addition of a resin mesh for added stability, TEC's Super Flex™ or 100% Solids Epoxy Mortar is required for proper installation of all mosaics.

Very High Shade Variation: Natural stone products have an extreme variation in color, shade, veining and texture. To ensure an even variation, blend stones from multiple cartons prior to installation.




Product is stocked in our Central Service Center


(\*) Noted items please allow a 1-2 week lead time pending availability

(†) Noted items are discontinued and available only while stock inventory lasts


1x12 Pencil Molding Polished †



4x12 Bullnose Polished †



5/8" Polished †



1" Polished Penny \*



Polished Basketweave with Snow White Dot †




Polished Snow White Seaweed with Ming Green †

Mosaics sold on 12x12 Sheets






field tile available



3x6 Honed or Polished



12x24 Honed

#### product notes & availability

Marble is a metamorphic stone (a rock altered by pressure and heat).

MOHS Rating 3 – 5.5  
Porosity .4% to 2%

Mosaics: Due to the addition of a resin mesh for added stability, TEC's Super Flex™ or 100% Solids Epoxy Mortar is required for proper installation of all mosaics.

Very High Shade Variation: Natural stone products have an extreme variation in color, shade, veining and texture. To ensure an even variation, blend stones from multiple cartons prior to installation.



Product is stocked in our  
Central Service Center

Note: All dolomitic stones tend to appear darker in color when the surface is polished whereas honed finishes appear lighter due of the nature of the duller surface. They also appear darker when they are wet.

3x6 Honed or Polished



12x24 Honed



2" Hexagon  
Honed or Polished



1x3 Herringbone  
Honed or Polished

1/2x12 Somerset Pencil  
Honed or Polished

1x12 Pencil  
Honed or Polished



*honed*



*polished*

Mosaics sold on 12x12 Sheets



field tile available



White Thassos 6x12 Polished \*



Sahara Carrara 12x24 Polished \*

#### product notes & availability

Marble is a metamorphic stone (a rock altered by pressure and heat).

MOHS Rating 3 – 5.5  
Porosity .4% to 2%


Mosaics: Due to the addition of a resin mesh for added stability, TEC's Super Flex™ or 100% Solids Epoxy Mortar is required for proper installation of all mosaics. Sold on 12x12 Sheets except where noted.

Very High Shade Variation: Natural stone products have an extreme variation in color, shade, veining and texture. To ensure an even variation, blend stones from multiple cartons prior to installation.



Product is stocked in our Central Service Center

(\*) Noted items please allow a 1-2 week lead time pending availability



Waterjet Thassos, Tunisian Gray \*  
(11.75x12.15 Sheet)



Waterjet Piazza - Zebra White, Thassos  
(11.89x11.89 Sheet)



Waterjet Marrakech - Thassos, Carrara White  
(8.74x9.84 Sheet)



5/8" Calacatta Polished \*



Waterjet Lux Bliss - Calacatta Polished, Gold \*  
(12.2x12 Sheet)



Waterjet Ribbon and Dot - Thassos, Calacatta White \*  
(12.5x13.15 Sheet)



Waterjet Flower - Thassos, Carrara White \*  
(14x15 Sheet)



Waterjet Lux Lavish Marble - Thassos, Carrara Polished \*  
(12.32x11.1 Sheet)



Waterjet Lux Opulence - Calacatta Polished, Gold \*  
(11.02x10.24 Sheet)



Waterjet Lux Posh - Calacatta Polished, Gold \*  
(11.41x14.37 Sheet)



Waterjet Hex - Thassos, Carrara, Black Water  
(14x16 Sheet)



Rubik Square Pattern Mountain Blue / Thassos Marble  
(12x12.75 Sheet)



Waterjet Bellagio - Carrara White, Thassos \*  
(10.35x14.25 Sheet)



Waterjet Trellis - Thassos, Carrara White  
(8.7x8.89 Sheet)



Mountain Blue Strip Honed \*  
(12.4x12 Sheet)

Please Note: It is recommended on Waterjet Mosaics to install with a light colored grout to best compliment the look.





field tile available

3x6 Honed Vein Cut<sup>†</sup>

3x12 Honed Vein Cut<sup>†</sup>

6x24 Honed Vein Cut<sup>†</sup>

12x24 Honed Vein Cut<sup>†</sup>



#### product notes & availability

Marble is a metamorphic stone (a rock altered by pressure and heat).

MOHS Rating 3 – 5.5

Porosity .4% to 2%

We recommend installing Wooden White Marble with Super Flex™ or epoxy mortar since these are moisture sensitive stones. Sold on 12x12 Sheets except where noted.

Very High Shade Variation: Natural stone has extreme variation in color, shade, veining and texture. To ensure an even variation, blend stones from multiple cartons prior to installation.




Product is stocked in our Central Service Center

(\*) Noted items please allow a 1-2 week lead time pending availability


(†) Noted items are discontinued and available only while stock inventory lasts

1x12 Pencil Molding


2x12 Chair Rail




4x12 Bullnose



10" Shelf  
20" Corner Seat



Thresholds  
4x36x3/4 - 4x50x3/4<sup>†</sup>  
6x72x3/4



5/8" Honed<sup>†</sup>



5/8" Aspen Mix Hon/Pol<sup>†</sup>  
(Athens Gray, Dark Emp.,  
Wooden White)



Feathers \*  
(Crackle Glass, Wooden  
White on 10.5x12.5 Sheet)



3" Soft Harmony Feathers \*  
(Athens Gray, Wooden  
White, Carrara on  
9.65x9.69 Sheet)



1x2 Brick Honed \*



Multi Square Honed \*



Wooden White / Athens  
Gray / Pure Black Arrow  
Weave Honed Marble  
(12x12.75 Sheet)




3" Gris Garden Lantern \*  
(Athens Gray, Wooden  
White, Arabescato on  
12x13 Sheet)



2x2 Honed<sup>†</sup>



Melange Wooden White  
and Arabescato Brick  
with Mother of Pearl



Resort Collection  
Relax Blend



3" Galena Gray Lantern \*  
(Crackle Glass, Wooden  
White on 11.81x12.21 Sht)



11x12 Linear<sup>†</sup>





field tile available



Zebra 12x24 Polished \*

#### product notes & availability

Marble is a metamorphic stone (a rock altered by pressure and heat).

MOHS Rating 3 – 5.5

Porosity .4% to 2%

Mosaics: Due to the addition of a resin mesh for added stability, TEC's Super Flex™ or 100% Solids Epoxy Mortar is required for proper installation of all mosaics. Sold on 12x12 Sheets except where noted.

Very High Shade Variation: Natural stone products have an extreme variation in color, shade, veining and texture. To ensure an even variation, blend stones from multiple cartons prior to installation.



Product is stocked in our Central Service Center

(\*) Noted items please allow a 1-2 week lead time pending availability



Arabescato / Zebra Flat Pebbles  
(11.75x11.75 Sheet)



Waterjet Piazza - Zebra White, Thassos  
(11.89x11.89 Sheet)



Zebra Basketweave with White Dot Polished \*  
(11.5x11.5 Sheet)



Zebra 3x6 Chevron Polished \*  
(8.5x11.5 Sheet)




Marmala Chevron Polished \*  
(11.42x12.2 Sheet)

Please Note: It is recommended on Waterjet Mosaics to install with a light colored grout to best compliment the look.





field tile available

12x12 Polished<sup>†</sup>4x12 Bullnose Polished<sup>†</sup>

## product notes &amp; availability

Onyx is a metamorphic stone (a rock altered by pressure and heat).

MOHS Rating 3

Porosity .5% to 2%

Due to the natural characteristics of Honey Onyx, it is imperative that a porcelain or glass cutting blade is used to minimize splintering on edges while cutting. This onyx can range in color from the lightest alabaster white to the deepest gold. We guarantee material ordered will vary from samples used during the selection process. All material must be inspected prior to installation as no concessions will be made once the stone is installed.

Mosaics: Due to the addition of a resin mesh for added stability, TEC's Super Flex™ or 100% Solids Epoxy Mortar is required for proper installation. Mosaics sold on 12x12 Sheets.



Product is stocked in our  
Central Service Center



no field tile available

5/8" Polished<sup>†</sup>3x12 Border Persian Green with  
Wooden Yellow and Crema Marfil<sup>†</sup>3x3 Corner<sup>†</sup>





field tile available



12x12 Sheets

#### product notes & availability

River Rock is stone harvested from actual river beds. It will vary tremendously from piece to piece.

MOHS Rating 3 – 5.5

Porosity .4% to 2%

Mosaics sold on 12x12 Sheets.

Very High Shade Variation: Natural stone products have an extreme variation in color, shade and texture. To ensure an even variation of color and surface texture, blend stones from multiple cartons prior to installation.



Product is stocked in our  
Central Service Center



Shadow Sliced



Shadow Blend Sliced



Cream Sliced



Olive Sliced



Khaki Sliced



Blend Sliced






no field tile available

#### product notes & availability

Quartzite is a metamorphic stone (a rock altered by pressure and heat).

MOHS Rating 4 – 7  
Porosity .4% to 3.9%

Slates are Gauged – the backs of the stones have been machined while the surface will maintain its natural clefing and thickness variation.



Very High Shade Variation: Natural stone products have an extreme variation in color, shade and texture. To ensure an even variation of color and surface texture, blend stones from multiple cartons. Review all material prior to installation.




Product is stocked in our  
Central Service Center

(\*) Noted items please allow a 1-2 week lead time pending availability

(†) Noted items are discontinued and available only while stock inventory lasts



6x24 Chinese Multicolor Slate Ledger Panel †  
6x24 Corner available †



Close-up views of Corner Trim



Camel Stix Linear †  
(Glass and Chinese Multicolor Slate)



Mineral Stix Linear  
(Glass and Golden Harvest Quartzite)



Waterrock Green Linear Quartzite \*



Silver Lagoon Linear \*  
(Glass and Quartzite)




2x4 Brick Golden Harvest Quartzite \*

Mosaics sold on 12x12 Sheets





field tile available



product notes & availability

Travertine is a sedimentary stone (a rock formed from consolidated clay sediments).

MOHS Rating 3  
Porosity 5% to 12%

Special Order cut-to-size tiles are available for patterned installations if required, as all straight cut tiles are exact dimensions.

Very High Shade Variation: Natural stone products have an extreme variation in color, shade and texture. To ensure an even variation of color and surface texture, blend stones from multiple cartons. Review all material prior to installation.



Product is stocked in our Central Service Center


(†) Noted items are discontinued and available only while stock inventory lasts



Honed & Filled Straight Edge Cross Cut †  
3x6 - 3x12 - 4x4 - 6x6



Honed & Filled Beveled Edge Vein Cut †  
6x24




1x1 Tumbled †



Melange Brick with Mother of Pearl †



12x12 Honed/Splitface Random Brick Mosaic †



4x12 Bullnose †



Thresholds  
3x36x3/4 † - 4x36x3/4  
4x48x3/4 † - 6x72x3/4

Mosaics sold by 12x12 Sheets

Note: The tumbling process results in size variation from stone to stone which is reflected in the mounting of tumbled mosaics.

Due to the irregular nature of the split face mosaic, minimal gaps may appear between the interlocking sheets (see below). We recommend that a matching grout to fill voids to eliminate potential shadowing.



10" Rope Edge Corner Shelf †

Also available in 8" Rope † and 8" Bullnose Edge †



8" Bullnose Edge Corner Soap Dish †



4x6 Large Soap Dish †



For samples, fax request to 866-480-TILE (8453)  
or email [samples@mosaictileco.com](mailto:samples@mosaictileco.com)



Alexandria, VA | Chantilly, VA | Fairfax, VA | Richmond, VA | Virginia Beach, VA  
North Bethesda, MD\* | Owings Mills, MD\* | Greensboro, NC | Raleigh, NC

[www.mosaictileco.com](http://www.mosaictileco.com)



Noted (\*) locations are  
100% wind powered!  
All locations support  
renewable power sources.

